

## Note to our Valued Customers:

As the current climate of tariff policies continues to impact pricing, LITE can be a great resource to help minimize the impact on your purchases. Manufacturing domestically, we have the fixture advantage. We can also recommend or source alternative products that might be more cost effective. Please check with your sales consultant for options and current pricing.



Stairwell



Stairwell Linear



Compact LED



Thin Thermoplastic




Thin Die Cast



Thermoplastic LED Edgelit



Aluminum Edgelit Exit Sign



Recessed Edgelit Exit Sign



Compact Wet Location




Exits & Emergency Combo



Emergency Unit

# Stairwell Lighting

Stairwells provide one of the easiest opportunities to provide energy savings. Reduce the light output when no one is in the stairwell and increase light when anyone enters the stairwell.



FS-505 Mounted in Stairwell

Ultrasonic technology for open area detection and line-of-sight obstructions.

Choose the percentage of light output (XX) that you want when space is unoccupied.



## STAIRWELL STANDARD

HSLSSSTWFR24LE15W2050LDMV(XX)40K	4.4" x 24"	15 / 2050	30, 35, 40, 50	CALL
HSLSSSTWFR24LE24W3000LDMV(XX)40K	4.4" x 24"	24 / 3000	30, 35, 40, 50	CALL
HSLSSSTWFR48LE48W6000LDMV(XX)40K	4.4" x 48"	48 / 6000	30, 35, 40, 50	CALL
HSLSSSTWFR48LE57W6900LDMV(XX)40K	4.4" x 48"	57 / 6900	30, 35, 40, 50	CALL

(XX) for Percentage of Light Output When it is not Occupied. For Emergency, add EM for \$115.

## STAIRWELL LINEAR LED w/ 20% Output and Emergency Unit

HSLSSSTWFR48LY46W5500LDMV(20)40KEM	4.4" x 48"	46 / 5500	30, 35, 40, 50	CALL
------------------------------------	------------	-----------	----------------	------

Fixed output driver. No variations.

## STAIRWELL LINEAR LED WITH STEP DIM DRIVER

(Consult for other Driver Options)



SSSTR



SSSTS

HSLSSSTRMW24LE27W2400LDMV(XX)40K	2 ft / 27W, 2400L with Variable Output, Color Temp 30, 35, 40, 50	CALL
HSLSSSTRMW48LE36W3500LDMV(XX)40K	4 ft / 36W, 3500L with Variable Output, Color Temp 30, 35, 40, 50	CALL
HSLSSSTSMW24LE27W2400LDMV(XX)40K	2 ft / 27W, 2400L with Variable Output, Color Temp 30, 35, 40, 50	CALL
HSLSSSTSMW48LE36W3500LDMV(XX)40K	4 ft / 36W, 3500L with Variable Output, Color Temp 30, 35, 40, 50	CALL

(XX) for Percentage of Light Output When it is not Occupied. For Emergency, add EM for \$115.

## STAIRWELL LINEAR LED WITH STEP DIM DRIVER

(Consult for other Driver Options)



HSLSS213A24LE15W2050LDMV(XX)40K	4.4" x 24"	15 / 2050	30, 35, 40, 50	CALL
HSLSS213A24LE24W3000LDMV(XX)40K	4.4" x 24"	24 / 3000	30, 35, 40, 50	CALL
HSLSS213A48LE48W6000LDMV(XX)40K	4.4" x 48"	48 / 6000	30, 35, 40, 50	CALL
HSLSS213A48LE57W6900LDMV(XX)40K	4.4" x 48"	57 / 6900	30, 35, 40, 50	CALL
HSLSS213A48LY45W4500LDMV(20)40KEM	4.4" x 48"	45 / 4500	30, 35, 40, 50	CALL

(XX) for Percentage of Light Output When it is not Occupied.



## COMPACT LED EXIT SIGN

ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLEZRXTU2GWEM	Rounded EXIT, SF/DF, Green, Backup	CALL	CALL
HSLEZRXTU2RWEM	Rounded EXIT, SF/DF, Red, Battery Backup	CALL	CALL



## THIN THERMOPLASTIC EXIT SIGN

ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLEZXTEU2GW	LED Exit AC Only Sgl/DbI Face Univ. Green Letters, White Housing, 120/277V	CALL	CALL
HSLEZXTEU2GWEM	LED Exit w/Battery Backup Sgl/DbI Face Univ. Green Letters White Housing, 120/277V	CALL	CALL
HSLEZXTEU2GWEMRC	LED Exit w/Battery Backup Sgl/DbI Face Univ. Green Letters White Housing, Remote Capable 120/277V	CALL	CALL
HSLEZXTEU2RW	LED Exit AC Only Sgl/DbI Face Univ. Red Letters, White Housing, 120/277V	CALL	CALL
HSLEZXTEU2RWEM	LED Exit w/Battery Backup Sgl/DbI Face Univ. Red Letters, White Housing, 120/277V	CALL	CALL
HSLEZXTEU2RWEMRC	LED Exit w/Battery Backup Sgl/DbI Face Univ. Red Letters, White Housing, Remote Capable 120/277V	CALL	CALL



## THIN DIE-CAST LED EXIT SIGN

ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLKZXTEU1GAEM	Thin Die Cast, SF, Green, Battery Backup, Al face, Al body	CALL	CALL
HSLKZXTEU1RAEM	Thin Die Cast, SF, Red, Battery Backup, Al face, Al body	CALL	CALL



## THERMOPLASTIC LED EDGELIT EXIT SIGN

ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLPLELRXTU1RCAEM	Plastic Edge-Lit, SF, Red, Clear, Silver Housing, Battery Backup	CALL	CALL
HSLPLELRXTU1RCWEM	Plastic Edge-Lit, SF, Red, White Housing, Battery Backup	CALL	CALL



## ALUMINUM LED EDGELIT EXIT SIGN

ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLELXTEU1GCAEM	Edge-Lit LED Exit Battery Backup, Single Face Green/Clear, 120/277V	CALL	CALL
HSLELXTEU1RCAEM	Edge-Lit LED Exit Battery Backup, Single Face Red/Clear, 120/277V	CALL	CALL
HSLELXTERPANEL HSLELXTEGPANEL	Edge-Lit LED Exit Single Face Green/Clear, 120/277V	CALL	CALL

**For version made in USA. Add "US" to the prefix of the item number and use the US column for pricing.**

## RECESSED ALUMINUM LED EDGELIT EXIT SIGN



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLRELZXTE1GCAEM	Recessed Edge-Lit Exit Sign, Battery Backup, Single Face, BELOW ACCESS, Green/Clear, 120/277V	CALL	CALL
HSLRELZXTE1RCAEM	Recessed Edge-Lit Exit Sign, Battery Backup, Single Face, BOTTOM ACCESS, Red/Clear, 120/277V	CALL	CALL
HSLRELZXTE2GMAEM	Recessed Edge-Lit Exit Sign, Battery Backup, Double Face, BELOW ACCESS, Green/Mirror, 120/277V	CALL	CALL
HSLRELZXTE2RMAEM	Recessed Edge-Lit Exit Sign, Battery Backup, Double Face, BOTTOM ACCESS, Red/Mirror, 120/277V	CALL	CALL

## COMPACT WET LOCATION LED EXIT SIGN



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLWLEZXTEU1GGEMCW	Wet location Exit sign, single face, green letters, gray housing, white face plate, battery back up, cold weather incl'd	CALL	CALL
HSLWLEZXTEU1RGEMCW	Wet location Exit sign, single face, red letters, gray housing, white face plate, battery back up, cold weather incl'd	CALL	CALL
HSLWLEZXTEU2GGEMCW	Wet location Exit sign, double face, green letters, gray housing, white face plate, battery back up, cold weather incl'd	CALL	CALL
HSLWLEZXTEU2RGEMCW	Wet location Exit sign, double face, red letters, gray housing, white face plate, battery back up, cold weather incl'd	CALL	CALL

## ALL LED EXIT & EMERGENCY COMBO



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLLEDXTEU2RW	White LED Combo, SF/DF, Red, White	CALL	CALL
HSLLEDXTEU2RWRC	White LED Combo, SF/DF, Red, White, Remote Capable	CALL	CALL

## LED EXIT & INCANDESCENT EMERGENCY COMBO



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLCXTEU2GW	COMBO LED Exit/Emerg. Light Sgl/Dbf Face Green Letters White Housing, 120/277V	CALL	CALL
HSLCXTEU2GWRC	COMBO LED Exit/Emerg. Light Sgl/Dbf Green Letters, white housing, w/Remote Capability, 120/277V	CALL	CALL
HSLCXTEU2RW	COMBO LED Exit/Emerg. Light Sgl/Dbf Face Red Letters White Housing, 120/277V	CALL	CALL
HSLCXTEU2RW-RC	COMBO LED Exit/Emerg. Light Sgl/Dbf Red Letters, white housing, w/Remote Capability, 120/277V	CALL	CALL

## LOW PROFILE ALL LED EXIT & EMERGENCY COMBO



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLCEU3RW	Low Profile All LED Exit & Emergency Combo, Red, White Housing	CALL	CALL
HSLCEU3GW	Low Profile All LED Exit & Emergency Combo, Green, White Housing	CALL	CALL

## LIGHTPIPE LED EXIT & EMERGENCY COMBO



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLCLPU2GWRC	Pipe Combo, SF/DF, Green, White, Remote Capable	CALL	CALL
HSLCLPU2RWRC	Pipe Combo, SF/DF, Red, White, Remote Capable	CALL	CALL

**For version made in USA. Add "US" to the prefix of the item number and use the US column for pricing.**

## LED EMERGENCY UNIT



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLLEDR1	LED Emergency Light, White	CALL	CALL
HSLLEDR1B	LED Emergency Light, black	CALL	CALL
HSLLEDR1SDT	LED Emergency Light, White, SDT	CALL	CALL

## REMOTE CAPABLE LED EMERGENCY UNIT



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLLEDR5HO	LED Emergency Light, White, Remote Capable	CALL	CALL
HSLLEDR5HOSDT	LED Emergency Light, White, Remote Capable, SDT	CALL	CALL

## ADJUSTABLE OPTICS LED EMERGENCY UNIT



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLLEDR2	LED Emergency Light, White, 120/277	CALL	CALL
HSLLEDR2B	LED Emergency Light, Black, 120/277	CALL	CALL

## SEMI-RECESSED MR-16 EMERGENCY UNIT



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLRMR16	2 Lamp Emergency Fixture, White Housing, 120/277V, Ultra bright MR-16 lamps	CALL	CALL
HSLRMR16LED	2 Lamp Emergency Fixture, White Housing, 120/277V, High Output 3.3w LED lamps	CALL	CALL

## R-1 EMERGENCY UNIT



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLR1	2 Head Emergency Fixture w/Battery, White Housing, 120/277V	CALL	CALL

## R-2 EMERGENCY UNIT



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLR2	Twin Lens Emergency Fixture w/Battery, White Housing, 120/277V	CALL	CALL

## DXR EMERGENCY UNIT



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLDXR125	50 watt 12 Volt Heavy duty emergency lighting unit with remote capacity. (50 watts for 90 min.), 120/277V	CALL	CALL
HSLDXR610	100 watt 6 Volt Heavy duty emergency lighting unit with remote capacity. (100 watts for 90 min.), 120/277V	CALL	CALL

For version made in USA, Add "US" to the prefix of the item number and use the US column for pricing.



**WET LOCATION SEMIRECESSED MR-16 EMERGENCY UNIT**



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLRMR16WP	2 Lamp, Weatherproof Emergency Fixture, Gray Housing, 120/277V, Ultra bright MR-16 lamps	CALL	CALL
HSLRMR16WPLED	2 Lamp, Weatherproof Emergency Fixture, Gray Housing, 120/277V, High Output 3.3w LED lamps	CALL	CALL

**DECORATIVE OUTDOOR LED AC/EMERGENCY UNIT**



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLDBELACEMHLBRSDTPC	Outdoor teardrop LED Die Cast , AC and EM operation, High lumen output, SDT (standard), includes photo cell, Bronze	CALL	CALL
HSLDBELACEMHLBRSDTCWPC	Outdoor teardrop LED Die Cast , AC and EM operation, High lumen output, SDT (standard), includes photo cell, Cold Weather, Bronze	CALL	CALL



**WET LOCATION REMOTE CAPABLE LED EMERGENCY UNIT**

ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLLEDTFX2	LED Wet Location 2 Head Emergency Light Unit, COLD WEATHER HEATER INCLUDED, 120/277V	CALL	CALL

**REMOTE HEADS FOR EXITS & EMERGENCY**

(See Spec Sheet for the Right Item for Your Application)



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLRH26V5.W	Dual head Indoor remote 5.4 Watts	CALL
HSLRH2WP6V7.2W	Double head weather proof remote 5.4 Watts	CALL
HSLRHLED1CLPCXTE(9.6V)	LED Combo Remote Head, Single, Indoor	CALL
HSLRHLED1R1(3.6V)	LED R1 Remote Head, Single, Indoor	CALL
HSLRHLED1MV	LED Multi-Volt (3.6v/6v/9.6v/12v) Remote Head, Single, Indoor	CALL
HSLRHLED1PWPCPCXTE	LED Combo Remote Head, Plastic, Single, Wet Location	CALL
HSLRHLED1WPCLPCXTE	LED Combo Remote Head, Single, Wet Location	CALL
HSLRHLED1PWPR1	LED R1 Remote Head, Plastic, Single, Wet Location	CALL
HSLRHLED1WPR1	LED R1 Remote Head, Single, Wet Location	CALL
HSLRHLED2CLPCXTE	LED Combo Remote Head, Double	CALL
HSLRHLED2R1	LED R1 Remote Head, Double	CALL
HSLRHLED2MV	LED Multi-Volt (3.6v/6v/9.6v/12v) Remote Head, Dual, Indoor	CALL
HSLRHLED2PWPCPCXTE	LED Combo Remote Head, Plastic, Double, Wet Location	CALL
HSLRHLED2WPCLPCXTE	LED Combo Remote Head, Double, Wet Location	CALL
HSLRHLED2PWPR1	LED R1 Remote Head, Plastic, Double, Wet Location	CALL
HSLRHLED2WPR1	LED R1 Remote Head, Double, Wet Location	CALL

For other options and accessories, see specification sheets.

For version made in USA. Add "US" to the prefix of the item number and use the US column for pricing.